


Product Specification

DMT Clay Test Dust

TÜV NORD Systems GmbH & Co.
KG

Plant & Product Safety
Refrigeration & Air Quality

Am TÜV 1
45307 Essen, Germany



1. General description:	Test dust for use in filter and environmental tests. More information can be found in the Downloads section.
2. Composition:	The particle size distribution of DMT Clay Test Dust is between 0 - 120 µm.
3. Transport and Storage:	Partial segregation may occur during transport and storage. It is therefore recommended to homogenize the DMT Clay Test Dust before use, which can be achieved by mixing with a laboratory tumbler mixer. Please store in a dry and airtight original container.
4. Quality ensurance:	<p>In order to achieve reproducible quality, the raw materials and production are strictly controlled. The following quality controls are carried out:</p> <p>Monitoring the particle size distribution of raw materials</p> <p>Monitoring the particle size distribution of the end product</p>
5. Specification:	<p>Name : DMT Clay Test Dust</p> <p>Standard: DIN 70 / IKO Slate 70</p> <p>Composition : Quarz</p> <p>Material: Quartz</p> <p>largest particle size (µm) : 120</p> <p>Substance density (g/cm³) : 2,65</p> <p>Apperance : solid</p> <p>Hardness (Mohs): 7,0</p> <p>Colour : grau</p>